

Door & Window Hardware

Providing quality products to fit and protect quality doors and windows is a watchword at S.Parker. Cam sash locks for metal and wood windows, window bolts to secure a window partway open, sliding window locks for the same purpose, and window pins to allow flexible part-open security start the list, which continues with sash fasteners for double and single hung windows, keyed cam action sash locks, wedge window locks, and ventilating window locks. Sash lifts ease opening and hinged window locks keep upper or lower sashes from being opened.


Door security is aided with flip door locks that work without keys, patio door locks, and thumb screw sliders that work on both doors and windows. Quality door knockers in Colonial style continue on to door knockers with viewers, and nameplates, and then door hardware moves to door interviewers, with and without knockers, and adapter plates for the viewers. Viewers with chimes are also available, as are wide angle and super wide angle viewers. Patio bar guards and cabin door hooks provide more security, and S.Parker's wide range of door chain bolts, fasteners and keyed chain door locks reduce unauthorized entry.

The S.Parker swing door guard allows checking of visitors through a 4" opening to back up lock-sets, while hinge pin door closers make sure the door closes when someone passes through. Door chain alarms warn of forced entry attempts so there's time to call the police. Door chain alarms with key-locked chains are even more secure and have the same piercing alarm.



Solid Brass Letter Slot

The S. Parker Solid Brass Letter Slot comes in polished and antique brass finishes, and with a choice of front flaps and a back trim frame or with front and back flaps. Also available is a front flap only model. Overall size is 3" x 10", with a slot of 1½" x 7½".



Product #	Description
-----------	-------------



Front Flap and Back Trim Frame

D356 PB.....Polished Solid Brass
 D356 AB.....Antique Solid Brass

Product #	Description
-----------	-------------

No Springs on Back Front Flap Only

356 FPSAB.....Antique Solid Brass



Door Knob Bumper

S. Parker's 636 series offers solid brass material, with a soft door knob bumper to reduce impact. Overall, the base is 2 1/4" in diameter, and the bumper projects 3/4" from the wall. The regular unit attaches to the wall with a screw, but 636U TAPE is a self stick base model, 1 1/8" in diameter with a 7/8" concave projection.

Product #	Description
-----------	-------------

Convex Projection Shape

- 636 PB.....Polished Solid Brass
- 636 DCH.....Dull Chrome Finish over Solid Brass
- 636 AL.....Aluminum

Concave Projection Shape

- 636U PB.....Polished Solid Brass
- 636U AL.....Aluminum
- 636U TAPE.....Self Stick All Rubber No Metal Collar



Covered Chain Door Stop

S. Parker's heavy duty 1631 series of covered steel chain door stops come in two finishes and four sizes, and are designed for heavy duty commercial use. Top quality stopping and cushioning effects, use strong compression springs to maintain those qualities. The vinyl cover protects door surfaces. The chain door stops are complete with solid brass mounting plates.

Product #	Description
-----------	-------------

- 1631 PB2020" Polished Brass
- 1631 PB2525-1/2" Polished Brass
- 1631 PB3030-1/2" Polished Brass
- 1631 PB3939" Polished Brass
- 1631 DCH2020" Dull Chrome
- 1631 DCH2525-1/2" Dull Chrome
- 1631 DCH3030-1/2" Dull Chrome
- 1631 DCH3939" Dull Chrome

Solid Brass Door Armor

S. Parker's Door Armor is available in a polished brass finish. Easy installation. Solid brass door armor is for use on 1 3/4" thick doors with 2 3/4" backset.



12120



12125

Product #	Description
-----------	-------------

- 12120 Polished Brass w/Screws Clamshell Pack 4" x 4 1/2" (For Deadbolt)
- 12125 Polished Brass w/Screws Clamshell Pack 4" x 9" (for Entry)



High Dome Door Stop

S. Parker 13H High Dome Door Stops are Type FF-H-111B-1330AE, and are 1 5/8" high, with a 2" diameter base. They require 1/2" of under-door clearance. They have aluminum, polished brass or dull chrome finishes. Some are made of solid brass material.

Product #	Description
-----------	-------------

- 13H AL.....Aluminum Finish
- 13H PB.....Polished Brass Finish on Solid Brass
- 13H DCH.....Dull Chrome Finish on Solid Brass



Low Dome Door Stop

S. Parker's low dome door stops solve door clearance problems. These Type FF-H-11B-1130E door stops are 1" high with a 2" base diameter. Required under-door clearance is only 1/8". Some are solid brass material and they come in aluminum, polished brass or dull chrome finishes.

Product #	Description
-----------	-------------

- 13S AL.....Aluminum
- 13S PB.....Polished Brass
- 13S DCH.....Dull Chrome



Floor Style Door Stop

Floor style door stops, without hooks, come in two finishes, with bases designed to be installed on concrete or wood. The door stops are 3" high, with a 2 1/2" base. The non-aluminum finish models are solid brass, while the aluminum finish models are aluminum.

Product #	Description
-----------	-------------

- For Wood Surfaces For Concrete or Tile Surfaces**
- 237PB237PBPolished Brass
 - 237DCH237SDCHDull Chrome

Use "S" items for concrete or tile surfaces.
Use Non "S" items for wood surfaces.




Floor Style Door Stop and Holder

S. Parker floor mount door stop and holder units are 3½" high, with a 2⅞" diameter base. The non-aluminum finish models are solid brass, while the aluminum finish models are aluminum.

Product #	Product #	Description
For Wood Surfaces		For Concrete or Tile Surfaces
336SPB.....		Polished Brass
336DCH	336SDCH	Dull Chrome
336AL.....	336AL.....	Aluminum

Use "S" items for concrete or tile surfaces.
Use Non "S" items for wood surfaces.



L Type Door Stop

The S. Parker L type door stops are easily installed, and take very little space. Overall height is 1⅜" and projection from the back edge is only 1". The 21330 model is brass plated, and carded, and the model 37 is poly bagged and brass plated.

Product #	Description
21330	Brass Plated Carded 1 per card
21332	Brass Plated 2 per card
37	Brass Plated Poly Bag
38 RT	Rubber Tips for 37, 38, 39



Wall Door Stop

The S. Parker wall stop serves to prevent damage to wall and door when the door is opened forcefully. The door stops have a 3½" projection, and a 2½" diameter base. The non-aluminum finish models are solid brass, while the aluminum finish models are aluminum.

Product #	Product #	Description
For Wood Surfaces		For Concrete or Tile Surfaces
238XPB	238XSPB	Polished Brass
238XDCH	238XSDCH	Dull Chrome
-	238XSAL	Aluminum
238XPCH.....	238XSPCH	Polished Chrome

Use "S" items for concrete or tile surfaces.
Use Non "S" items for wood surfaces.



Door Stop and Holder

Door stops and holders come with hooks, and are designed to work best with the specified floor material—wood, or concrete or tile. Projections are 3½", and the bases are 2½" in diameter. The non-aluminum finish models are solid brass, while the aluminum finish models are aluminum. This S. Parker door stop with holder has a shorter 2½" projection from the wall for places where space is a problem. The base is 2½" in diameter.

Product #	Product #	Description
3-1/2" Projection		
For Wood Surfaces		For Concrete or Tile Surfaces
-	238SPB	Polished Brass
-	238SDCH	Dull Chrome
-	238SPCH	Polished Chrome
238AL.....	238SAL.....	Aluminum

Use "S" items for concrete or tile surfaces.
Use Non "S" items for wood surfaces.

2-1/2" Projection - For Wood Surfaces Only

0238AL	Aluminum
--------------	----------



Rigid Door Stop

The rigid door stop mounts on the wall or baseboard, quickly and easily. It is made out of cast alloy with a 3" projection to keep the door knob from striking the wall. The BIN pack door stops come with UPC.


Product #	Description
21230	Brass Plated 1 per Card
21232	Brass Plated 2 per Card
38 P.....	Brass Plated Poly Bag with UPC
38 ZP.....	Zinc Plated Poly Bag
BIN 21230	Brass Plated Bin Pack 200 Per Bin with UPC
BIN 21210	Oil Rubbed Bronze Bin Pack 200 Per Bin w/ UPC
BIN 21215	Satin Nickel Bin Pack 200 Per Bin with UPC

Rubber Tips

38RT.....	Rubber Tips for 37, 38, 39
-----------	----------------------------

Spring Door Stop

This door stop model has a spring wound shank, and is cast alloy, with a 3" projection. The 39 series is plated with a plastic base. The BIN pack spring door stops come with a metal base and come in a bin pack of 200 with UPC



Product #	Description
39 BP	Brass Plated with Plastic Base
21530P	Brass Plated Metal Base Poly Bag with UPC
21530	Brass Plated Metal Base Carded
21532	Brass Plated Metal Base 2 per Card
BIN 21530	Brass Plated 200 per Bin with Metal Base
BIN 21510	Oil Rubbed Bronze 200 per Bin with Metal Base
BIN 21515	Satin Nickel 200 per Bin with Metal Base
38 RT	Rubber Tips for 37, 38, 39

Cast Iron Door Stop

This immensely sturdy door stop is of cast iron, and has a 3 3/4" projection. The 40 BP is brass plated and the 40 NP is nickel plated



Product #	Description
40 BP	Brass Plated
40 NP	Nickel Plated

Heavy Duty Spring Door Stop


The S. Parker heavy duty spring cone wound door stop softens door impact, and comes in plated brass, with a 3" projection.



Product #	Description
42 BP	Brass Plated

Hinge Pin Door Stop

The S. Parker hinge pin door stop is brass plated or satin nickel, and attaches quickly to most hinge pins.



Product #	Description
BIN 21430	Brass Plated 100 per Bin with UPC
21430	Brass Plated Carded
41P	Brass Plated Poly Bag with UPC
BIN 21415	Satin Nickel 100 per Bin with UPC

8" Heavy Duty UL Surface Bolts


Used for swinging or sliding doors, including steel fire doors. All solid steel construction. The throw on either bolt is a minimum of 1". Choose from concealed or exposed screw styles. Easy to install, complete with mounting hardware. Available boxed.

8" Concealed Screw UL Surface Bolt

The mounting screws are totally concealed for extra security. It is jimmy resistant. A mortise strike is included for the top of a jam or reverse beveled door.

8" UL Surface Mounted Bolt with Exposed Screws

The mounting screws are exposed. A strong tension spring holds bolt in place. The spring design lets the bolts slide easily to the locked or unlocked position.



Product #	Description
-----------	-------------


Heavy Duty UL Surface Bolts

2095 ZP	8" Zinc Plated with Concealed Screws
2095 DCH	8" Dull Chrome Plated with Concealed Screws
2096 ZP	8" Zinc Plated with Exposed Screws

Surface and Flush Bolts

UL and Other Lever Flush Bolts

Lever flush bolts with 12" rods (UL 197 series) are UL listed and meet ANSI A115.4 specifications. The 1" x 6 3/4" long bolts come in polished brass, dull chrome and oil rubbed bronze finishes. S. Parker 197 series lever flush bolts have 12" rods, and are 1" x 6 3/4", and come in aluminum, brass plated and bronze finishes. These are type FF-H-111B-1045 bolts.



Product #	Description
1" x 6-3/4" UL Listed	
UL197 PB	Polished Brass
UL197 DCH	Dull Chrome
UL197 RBZ	Oil Rubbed Bronze
1" x 6-3/4" Flushbolt	
197 AL	Aluminum
197 BP	Brass Plated
197 BZ	Bronze Plated

Lever Flush Bolts with Rounded Corners

S. Parker R198 series lever flush bolts have 12" rods, and rounded corners. The bolts are 1 5/16" wide x 5 5/8" long. With either a 1/8" or 1/4" offset, the bolts are available in aluminum and duranodic finishes, for installation on aluminum storefront doors.



Product #	Description
R198 ALQ	Aluminum 1/4" Offset with Radius Corners
R198 ALE	Aluminum 1/8" Offset with Radius Corners
R198 DURQ	Duranodic 1/4" Offset with Radius Corners
R198 DURE	Duranodic 1/8" Offset with Radius Corners